

北京星辰云创科技有限公司

Beijing Xingchenyunchuang Technology Co.,Ltd



2019产品名录

PRODUCT CATALOGUE





DENTAL MILLING TOOLS

CAD/CAM氧化锆切削车针系列

用途：适用于各类型锆块的切削



泽康 M5

Company/Model	Out Dia	Overall Length	Shank	Coating
ZirkonZahn M5	D1.0	57	3	NO
	D2.0			
	D0.5			
	D1.0			
	D2.0			Diamond



威兰德/mini

Company/Model	Out Dia	Overall Length	Shank	Coating
Wieland/mini	D1.0	35	3	NO
	D2.0			
	D2.5			



威兰德/select

Company/Model	Out Dia	Overall Length	Shank	Coating
Wieland/select	D0.3	40	3	NO
	D0.7			NACO or TIALN
	D1.0			Diamond
	D2.5			



katana

Company/Model	Out Dia	Overall Length	Shank	Coating
Katana	D1.0	52	4	NO
	D1.3			
	D1.0	52	4	Diamond
	D1.3			



DENTAL MILLING TOOLS

CAD/CAM氧化锆切削车针系列




阿曼吉尔巴赫

Company/Model	Out Dia	Overall Length	Shank	Coating
Amann Cera Mill	D0.6	47	3	NACO or TIALN
	D1.0			Diamond
	D2.0			
	D2.5			



Imes Icore-450i/340i/250i

Company/Model	Out Dia	Overall Length	Shank	Coating
450i/340i/250i	D0.3	48	3	NACO or TIALN
	D0.6			Diamond
	D1.0			
	D2.5			
450i/TITAN	D1.0	38.5	3	NACO
	D2.0			
	D3.0			
450i(d6)	D1.0	53	6	Diamond
	D2.5			



Charly

Company/Model	Out Dia	Overall Length	Shank	Coating
Charly	D0.5	38.5	3	NO
	D1.0			Diamond
	D1.5			
	D3.0			



Vhf

Company/Model	Out Dia	Overall Length	Shank	Coating
Vhf S1	D0.6	35	3	NACO or TIALN
	D1.0	40		Diamond
	D2.0			
CM,Vhf K4	D0.6	35	3	NACO or TIALN
	D1.0			
	D2.0			





DENTAL MILLING TOOLS

CAD/CAM氧化锆切削车针系列



RND

Company/Model	Out Dia	Overall Length	Shank	Coating
RND DR100-5Z	D0.6	45	4	NACO or TIALN
	D1.0	50		Diamond
	D2.0			
RND DM-100	D1.0	45	6	NACO or TIALN
	D1.5	50		
	D2.0			
	D3.0			
	D1.5	50(Long)		
	D1.5	55(Flat)		



罗兰

Company/Model	Out Dia	Overall Length	Shank	Coating
Roland	D0.3	50	4	NO
	D0.6			NACO or TIALN
	D1.0			Diamond
	D2.0			



Cera cube/Trion-z

Company/Model	Out Dia	Overall Length	Shank	Coating
Cera cube/Trion-z	D0.5	50	4	NACO or TIALN
	D1.0			Diamond
	D2.0			



PRP-DEN

Company/Model	Out Dia	Overall Length	Shank	Coating
PRO-DEN	D0.6	60	6	NACO or TIALN
	D1.0			Diamond
	D2.0			




DENTAL MILLING TOOLS

CAD/CAM氧化锆切削车针系列



ELBEN/TITAN

Company/Model	Out Dia	Overall Length	Shank	Coating
ELBEN	D0.6	43	6	NO
	D1.0	50		Diamond
	D2.0			
ELBEN/TITAN	D1.0	45	6	NACO or TIALN
	D2.0			
	D3.0			



DATRON

Company/Model	Out Dia	Overall Length	Shank	Coating
DATRON	D0.6	55	6	NACO or TIALN
	D1.0			Diamond
	D2.0			



Z-match/CAMEleon

Company/Model	Out Dia	Overall Length	Shank	Coating
Z-match/CAMEleon	D0.5	55	6	NACO or TIALN
	D1.0			Diamond
	D2.0			
Z-match/CAMEleon /TITAN	D1.5	45	6	NACO or TIALN
	D2.0			
	D3.0			
	D4.0			



CAMEleon CS

Company/Model	Out Dia	Overall Length	Shank	Coating
CAMEleon CS	D0.5	40	3	NACO or TIALN
	D1.0			Diamond
	D2.0			





DENTAL MILLING TOOLS

CAD/CAM氧化锆切削车针系列



泽康 M1

Company/Model	Out Dia	Overall Length	Shank	Coating
ZirkonZahn M1 d6	D1.0	50	6	NO
	D2.0			
ZirkonZahn M1 TITAN	D2.0	50	6	NACO or TIALN
	D3.0			



MANIX

Company/Model	Out Dia	Overall Length	Shank	Coating
MANIX	D0.6	45	4	NACO or TIALN
	D1.0	50		Diamond
	D2.0			
MANIX/TITAN	D1.5	45	6	NACO or TIALN
	D2.0			
	D3.0			



Yena

Company/Model	Out Dia	Overall Length	Shank	Coating
Yena	D0.6	45	4	NACO or TIALN
	D1.0			Diamond
	D2.0			
Yena/TITAN	D2.0	45	4	NACO or TIALN
	D3.0			




西诺德

Company/Model	Out Dia	Overall Length	Shank	Coating
Sirona	D0.5	42	3	NACO or TIALN
	D1.0	43		Diamond
	D2.5	44		




DENTAL MILLING TOOLS

CAD/CAM氧化锆切削车针系列



Rainbow/Rainbow mill

Company/Model	Out Dia	Overall Length	Shank	Coating
Rainbow/ Rainbow mill	D1.0	60	6	Diamond
	D2.0			



ARUM

Company/Model	Out Dia	Overall Length	Shank	Coating
ARUM4X,5X-100	D0.6	63	6	NACO or TIALN
	D1.0			Diamond
	D2.0			
ARUM4X,5X-150	D0.5	45	4	NACO or TIALN
	D1.0	50		Diamond
	D2.0			
ARUM4X,5X-200	D0.6	50	6	NACO or TIALN
	D1.0	53		Diamond
	D2.0	55		
ARUM/TITAN	D1.0	50	6	NACO or TIALN
	D1.5			
	D2.0			
	D3.0			



DENTAL MILLING TOOLS

CAD/CAM氧化锆切削车针系列

涂 层	适用设备	柄 径	刃 径	总 长	加工数量
金刚石	翔 通	3	2.0/1.0/0.6	50	500颗左右
	洛耐院	3	2.0/1.0	50	500颗左右
	西诺德	3	2.5/1.0/0.5	43	500颗左右
	精 雕	3	2.0/1.0	50	500颗左右
	阿曼吉尔巴赫	3	2.5/1.0/0.6	47	500颗左右
	IMES	3	2.5/1.0	47	500颗左右
	柯尔德	3	2.0/1.0/0.6	38	500颗左右
	圣 邦	3	2.0/1.0	50	500颗左右
	威 狮	4	2.0/1.0	50	500颗左右
	爱尔创	4	2.0/1.0/0.6	50	500颗左右
	云 甲	4	2.0/1.0	50	500颗左右
	耶 那	4	2.0/1.0	50	500颗左右
	卓 田	4	2.0/1.0	50	500颗左右
	罗 兰	4	2.0/1.0/0.6	50	500颗左右
	丹特尔	3.175	2.0/1.0	47	500颗左右
	杭州三维	3.175	2.0/1.0	47	500颗左右
	申 雕	3.175	2.0/1.0	47	500颗左右
	九 时	3.175	2.0/1.0	47	500颗左右
	富 雕	3.175	2.0/1.0	47	500颗左右
	长 宇	3.175	2.0/1.0	47	500颗左右
普 通	威兰德	3	2.5/1.0/0.7	50	100颗左右
	VHF	3	2.0/1.0/0.6	50	100颗左右



DENTAL MILLING TOOLS

CAD/CAM金属切削车针系列

用途：适用于各类型钛盘、钛柱、钛饼的切削



IMES350

适用设备	刀头直径	刀头长度	柄部直径	总长
Imes-icore 350	D3.0	14	6	50
	D2.0	12		
	D1.5	14		
	D1.0	8		



IMES350

适用设备	刀头直径	刀头长度	柄部直径	总长
Imes-icore 350	D0.5	2.5	6	50
	D1.0	5		
	D2.0	5		
	D2.2	16		



IMES350

适用设备	刀头直径	刀头长度	柄部直径	总长
Imes-icore 350	D1.5	8	6	50
	D2.5	20		
	D1.0	14		



IMES350

适用设备	刀头直径	刀头长度	柄部直径	总长
Imes-icore 350	D2.0	5	6	50
	D1.5	14		



DENTAL MILLING TOOLS

CAD/CAM金属切削车针系列



VHF

适用设备	刀头直径	刀头长度	柄部直径	总长
VHF	D2.0	14	3	32
	D1.0	10		



达尔美

适用设备	刀头直径	刀头长度	柄部直径	总长
达尔美	D1.0	25	6	48
	D2.0	25		
	D3.0	25		



申 雕

适用设备	刀头直径	刀头长度	柄部直径	总长
申 雕	D3.0	17	6	50
	D2.0	15		
	D1.0	8		



IMES250

适用设备	刀头直径	刀头长度	柄部直径	总长
Imes-icore 250	D3.0	10	3	35
	D2.0	10		
	D1.0	8		



CERAMIC DIAMOND GRINDERS

陶瓷金刚石打磨系列

用途：适用于氧化锆、氧化铝等修复体的研磨



Order No.	NB0001G	NB0002G	NB0003G	NB0004G	NB0005G	NB0006G	NB0010G
L(头部长度)mm	7	7	7	7	11	7	11
Q(头部直径)mm	2.5	3	3	3	3.5	4	4



Order No.	NB0011G	NB0012G	NB0013G	NB0014G	NB0015G	NB0016G	NB0017G
L(头部长度)mm	11	13	4	8	13	13	4
Q(头部直径)mm	4	4	6.5	7	5	6.5	11



Order No.	NB0019G	NB0021G	NB0023G	NB0024G	NB0025G	NB0026G	NB0027G
L(头部长度)mm	3	7	2	3.2	0.7	2	4.2
Q(头部直径)mm	12	13	16	16	22	22	22



DENTAL LABORATORY CUTTERS

义齿技工钨钢打磨头系列

用途：打磨树脂胶托、石膏模型、纯钛、钴铬合金
半金属和贵金属



Order No.	5000108	5000227	5000313	5000314	5000344	5000350	5000409
L(头部长度)mm	14	14.5	3.5	4.5	14	14.5	14.5
Q(头部直径)mm	4.0	6.0	4.0	5.0	6.0	6.0	6.0



Order No.	5000603	5000903	5000904	5001206	5001701	5001704	5001406
L(头部长度)mm	14.5	3.0	4.3	14	16	14	14
Q(头部直径)mm	6.0	4.0	5.0	6	2.3	2.3	4



PINDEX DRILLS

种钉机钻头系列



Order No.	5600010	5600011	5600012	5600013	5600014	5600015	5600020
Q(头部直径)mm	2.0	1.95	1.85	1.75	1.6	1.55	2.2
L(头部长度)mm	5.8	5.8	6.0	5.8	5.8	5.0	16
L(总长)mm	38	38	38	38	38	35	40





MILLING TECHNIQUE

研磨车针系列

用途：主要用于精修种植体肩台



Order No.	5401101	5401102	5401103	5401104	5401105	5401106
L(头部长度)mm	8	10	15	13	13	13
Q(头部直径)mm	1.0	1.5	2.3	2.3	3.1	4.0



Order No.	5402101	5402102	5402103	5402104	5402105	5402106
L(头部长度)mm	8	10	15	13	13	13
Q(头部直径)mm	1.0	1.5	2.3	2.3	3.1	4.0



Order No.	5403101	5403102	5403103	5403104	5403105	5403106
L(头部长度)mm	8	10	15	13	13	13
Q(头部直径)mm	1.0	1.5	2.3	2.3	3.1	4.0




DENTAL PORCELAIN BRUSH

牙科上瓷笔系列



产品编号	1/8#	0#	4#	6#	7#	8#
头部材质	貂毛和尼龙毛混合					

星，借太阳之力而生光芒；云，因变幻莫测而得永恒，星辰云创
以品质稳根基，以创新谋发展，以博大聚英才
靠星之微力，集万众一心，拼出浩瀚未来



北京星辰云创科技有限公司

Add：北京门头沟区雅安路6号院

Tel：13269226137

手淘扫一扫

